


APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

2/11



09053872.040198

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

4/11

FIG. 4A





FIG. 4B



09053872-040198

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

5/11

FIG. 4C





FIG. 4D




86T040-2485060

APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

6/11

FIG. 4E



05053872 040198


85T040" 2485060

FIG. 5A

FIX deficient Plasma
 +
 Celite
 ↓ ∇
 Human Plasma
 +
 Cephalin
 +
 CaCL
 ↓ ∇
 Clot

7/11

FIG. 5B




APPROVED	O.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

8/11

FIG. 6A

Time to Hemostasis:




85T040 2/8E5060

APPROVED	C. G. P. B.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

9/11

FIG 6B


Blood loss :



APPROVED	C.G. FIG.	
BY	CLASS	SUBCLASS
DRAFTSMAN		

10/11

FIG. 7



09053872-040193

